

References Cited, 27 September 2016 Webinar: "The Missing Link in Hydrologic Connectivity - Reconnecting Riverine Habitats, Biodiversity, Nutrient Cycles, Solute Transport and Temperature Regulation through Restoring Hyporheic Exchange" by Sarah Miller, ERDC Environmental Laboratory.

Amoros, C., & Bornette, G. (2002). Connectivity and biocomplexity in waterbodies of riverine floodplains. *Freshwater Biology*, 47(4), 761–776. <http://doi.org/10.1046/j.1365-2427.2002.00905>.

Boano, F., Harvey, J. W., Marion, A., Packman, A. I., Revelli, R., Ridolfi, L., & Wörman, A. (2014). Hyporheic flow and transport processes: Mechanisms, models, and biogeochemical implications. *Reviews of Geophysics*, 1–77. <http://doi.org/10.1002/2012RG000417>.

Boulton, A. J. (2007). Hyporheic rehabilitation in rivers: Restoring vertical connectivity. *Freshwater Biology*, 52(4), 632–650. <http://doi.org/10.1111/j.1365-2427.2006.01710.x>

Boulton, A. J., Datry, T., Kasahara, T., Mutz, M., & Stanford, J.Aa. (2010). Ecology and management of the hyporheic zone: stream–groundwater interactions of running waters and their floodplains. *Journal of the North American Benthological Society*, 29(1), 26–40. <http://doi.org/10.1899/08-017.1>

Bureau of Reclamation & U.S. Army Engineer Research and Development Center. (2016). *National Large Wood Manual: Assessment, Planning, Design, and Maintenance of Large Wood in Fluvial Ecosystems: Restoring Process, Function, and Structure*. (D. J. Bandrowski & J. Conyngham, Eds.).

Faulkner, B. R., Renée Brooks, J., Forshay, K. J., & Cline, S. P. (2012). Hyporheic flow patterns in relation to large river floodplain attributes. *Journal of Hydrology*, 448–449, 161–173. <http://doi.org/10.1016/j.jhydrol.2012.04.039>

Gomez-Velez, J. D., Harvey, J. W., Cardenas, M. B., & Kiel, B. (2015). Denitrification in the Mississippi River network controlled by flow through river bedforms. *Nature Geoscience*, 8(October), 1–8. <http://doi.org/10.1038/ngeo2567>

Harvey, J., & Gooseff, M. (2015). River corridor science: Hydrologic exchange and ecological consequences from bedforms to basins. *Water Resources Research*, 51(9), 6893–6922. <http://doi.org/10.1002/2015WR017617>

Hester, E. T., & Cranmer, E. N. (2014). Variation of hyporheic potential among urban region streams: implications for stream restoration. *Environmental & Engineering Geoscience*, 20(3), 287–304. <http://doi.org/10.2113/gseegeosci.20.3.287>

Keser, D. H. (2010). A new habitat of subsurface waters: the hyporheic biotope, by Traian Orghidan (1959). *Fundamental and Applied Limnology*, 176(4), 291–302.

- Orghidan, T. (2010). A new habitat of subsurface waters: the hyporheic biotope. *Fundamental and Applied Limnology / Archiv Für Hydrobiologie*, 176(4), 291–302. <http://doi.org/10.1127/1863-9135/2010/0176-0291>
- Kondolf, G. M., Boulton, A. J., O’Daniel, S., Poole, G. C., Rahel, F. J., Stanley, E. H., ... Nakamura, K. (2006). Process-based ecological river restoration: Visualizing three-dimensional connectivity and dynamic vectors to recover lost linkages. *Ecology and Society*, 11(2). <http://doi.org/5>
- Malard, F., Tockner, K., Dole-Olivier, M.-J., & Ward, J. V. (2002). A landscape perspective of surface–subsurface hydrological exchanges in river corridors. *Freshwater Biology*, 47, 621–640.
- Marzadri, A., Tonina, D., & Bellin, A. (2013). Effects of stream morphodynamics on hyporheic zone thermal regime. *Water Resources Research*, 49(4), 2287–2302. <http://doi.org/10.1002/wrcr.20199>
- Poole, G. C., O’Daniel, S. J., Jones, K. L., Woessner, W. W., Bernhardt, E. S., Helton, A. M., ... Beechie, T. J. (2008). Hydrologic spiralling: the role of multiple interactive flow paths in stream ecosystems. *River Research and Applications*, 24(7), 1018–1031. <http://doi.org/10.1002/rra.1099>
- Pringle, C. M. (2001). Hydrologic Connectivity and the Management of Biological Reserves : A Global Perspective Published by : Ecological Society of America HYDROLOGIC CONNECTIVITY AND THE MANAGEMENT OF BIOLOGICAL RESERVES : A GLOBAL PERSPECTIVE. *America*, 11(4), 981–998. [http://doi.org/10.1890/1051-0761\(2001\)011\[0981:HCATMO\]2.0.CO;2](http://doi.org/10.1890/1051-0761(2001)011[0981:HCATMO]2.0.CO;2)
- Retrospective Evaluation of Aquatic Ecosystem Restoration Projects Completed by the USACE, <http://cw-environment.usace.army.mil/retro/index.cfm> (accessed September 2016).
- Robertson, A. L., & Wood, P. J. (2010). Ecology of the hyporheic zone: origins, current knowledge and future directions. *Fundamental and Applied Limnology / Archiv Für Hydrobiologie*, 176(4), 279–289. <http://doi.org/10.1127/1863-9135/2010/0176-0279>
- Stanford, J. A., & Ward, J. V. (1993). An Ecosystem Perspective of Alluvial Rivers : Connectivity and the Hyporheic Corridor. *Journal of the North American Benthological Society*, 12(1), 48–60.
- Steiger, J., Tabacchi, E., Dufour, S., Corenblit, D., & Peiry, J. L. (2005). Hydrogeomorphic processes affecting riparian habitat within alluvial channel-floodplain river systems: A review for the temperate zone. *River Research and Applications*, 21(7), 719–737. <http://doi.org/10.1002/rra.879>

- Stonedahl, S. H., Harvey, J. W., Wörman, A., Salehin, M., & Packman, A. I. (2010). A multiscale model for integrating hyporheic exchange from ripples to meanders. *Water Resources Research*, *46*(12), 1–14. <http://doi.org/10.1029/2009WR008865>
- Stonedahl, S. H., Harvey, J. W., & Packman, A. I. (2013). Interactions between hyporheic flow produced by stream meanders, bars, and dunes. *Water Resources Research*, *49*(9), 5450–5461. <http://doi.org/10.1002/wrcr.20400>
- Ward, A. S., Gooseff, M. N., & Johnson, P. A. (2011). How can subsurface modifications to hydraulic conductivity be designed as stream restoration structures? Analysis of Vaux's conceptual models to enhance hyporheic exchange. *Water Resources Research*, *47*(8), 1–13. <http://doi.org/10.1029/2010WR010028>